

What is claimed is:

1. A bi-directional remote controller comprising:  
means for requesting a guidance on a data broadcasting;  
means for receiving guidance information provided from an  
outside in response to the request; and  
means for notifying the received guidance information.

2. The bi-directional remote controller according to  
claim 1, wherein the requesting means is a guidance setting  
button key.

3. The bi-directional remote controller according to  
claim 1, wherein the guidance information is extracted while the  
data broadcasting is displayed.

4. The bi-directional remote controller according to  
claim 1, wherein the guidance information indicates the location  
of a button key to be pushed.

5. The bi-directional remote controller according to  
claim 1, wherein the guidance information indicates the location

of a button key allowed to be pushed.

6. The bi-directional remote controller according to claim 1, further comprising means for inputting a response instruction on the guidance information.

7. The bi-directional remote controller according to claim 6, wherein the inputting means is a button key provided on a portion notified by the notifying means.

8. The bi-directional remote controller according to claim 6, wherein the inputting means is a plurality of button keys provided on a portion notified by the notifying means.

9. The bi-directional remote controller according to claim 1, wherein the notifying means is a display device.

10. The bi-directional remote controller according to claim 1, wherein the notifying means is provided at a predetermined portion of the inputting means.

11. A data broadcasting guidance system comprising:

means for extracting guidance information while a data broadcasting is displayed;

means for requesting a guidance on the data broadcasting;  
and

means for notifying the extracted guidance information in response to the request from the requesting means.

12. The data broadcasting guidance system according to claim 11, further comprising means for displaying the extracted guidance information in response to the request from the requesting means.

13. The data broadcasting guidance system according to claim 11, further comprising means for receiving the extracted guidance information in response to the request from the requesting means.

14. The data broadcasting guidance system according to claim 11, further comprising means for inputting a response instruction on the guidance information provided through the notifying means.

15. The data broadcasting guidance system according to claim 11, wherein the inputting means is a button key provided on a portion notified by the notifying means.

16. The data broadcasting guidance system according to claim 11, wherein the inputting means is a plurality of button keys provided on a portion notified by the notifying means.

17. The data broadcasting guidance system according to claim 11, wherein the requesting means is a guidance setting button key.

18. The data broadcasting guidance system according to claim 11, wherein the guidance information indicates the location of a button key to be pushed.

19. The data broadcasting guidance system according to claim 11, wherein the guidance information indicates the location of a button key allowed to be pushed.

20. The data broadcasting guidance system according to claim 11, wherein the notifying means is a display device.

21. The data broadcasting guidance system according to claim 11, wherein the notifying means is provided at a predetermined portion of the inputting means.

22. A method for guiding a data broadcasting, the method comprising the steps of:

(a) extracting guidance information while the data broadcasting is displayed;

(b) requesting a guidance on the data broadcasting; and

(c) notifying the extracted guidance information in response to the request.

23. The method according to claim 22, further comprising the step of (d) displaying the guidance information.

24. The method according to claim 22, further comprising the step of (e) receiving the guidance information.

25. The method according to claim 22, further comprising the steps of:

(f) inputting a response instruction on the guidance

information; and

(g) performing a navigation according to the inputted response instruction.

26. The method according to claim 22, wherein the request is performed by pushing a guidance setting button key.

27. The method according to claim 22, wherein the guidance information indicates the location of a button key to be pushed.

28. The method according to claim 22, wherein the guidance information indicates the location of a button key allowed to be pushed.